

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-50 (Cancelled)

51. (Currently Amended) A method of producing a prophylactic device, comprising:

 providing a form for a casting including a portion configured to produce a panty casting and a portion configured to produce a pouch casting, wherein the panty casting includes a crotch portion, and wherein the pouch casting is disposed on the crotch portion of the panty casting;

 dipping the form into a first coagulant until the pouch casting portion and the panty casting portion are submerged in the first coagulant;

 dipping the form into a second coagulant until the pouch casting portion is submerged in the second coagulant;

 dipping the form into latex a first time until the pouch casting portion and the panty casting portion are submerged in the latex;

 dipping the form into the latex a second time until the pouch casting portion is submerged in the latex, such that a thickness of the panty casting is greater than a thickness of the pouch casting; and

 removing the casting from the form.

52. (Original) The method of claim 51, further comprising, after the step of dipping the form into a first coagulant, removing the form from the first coagulant and subjecting the form to a drying process.

53. (Original) The method of claim 51, further comprising, after the step of dipping the form into a second coagulant, removing the form from the second coagulant and subjecting the form to a drying process.

54. (Original) The method of claim 51, further comprising, after the step of dipping the form into latex a first time, removing the form from the latex and subjecting the form to a drying process.

55. (Original) The method of claim 51, further comprising, after the step of dipping the form into the latex a second time, removing the form from the coagulant and subjecting the form to a drying process.

56. (Original) The method of claim 51, further comprising subjecting the form to a leaching process.

57. (Original) The method of claim 51, further comprising subjecting the form to a curing process.

58. (Original) The method of claim 51, further comprising depositing powder on an exterior portion of the casting.

59. (Original) The method of claim 51, further comprising introducing powder into an interior portion of the casting.

60. (Original) The method of claim 51, wherein the first coagulant and the second coagulant comprise a liquid.

61. (Original) The method of claim 51, wherein the latex comprises a liquid.

62. (Original) The method of claim 51, wherein the first coagulant and the second coagulant are formulated to promote adherence of the latex.

63. (Original) The method of claim 56, wherein the leaching process includes dipping the form into water.

64. (Original) The method of claim 51, wherein the form includes a plurality of depressions disposed on the portion of the form configured to produce a panty casting, and wherein the depressions are configured to receive a flow of latex when the form is dipped so that a plurality of raised protrusions are formed on the panty casting.

65-72 (Cancelled)

73. (Previously Presented) The method of claim 51, wherein the first coagulant is a heavy wall coagulant.

74. (Previously Presented) The method of claim 51, wherein the second coagulant is a light wall coagulant.